



HJM Electronics

Instrumentation for the Water-Treatment Industry

Tel: +27+ (0)11 452-2066 E-mail: info@hjmelectronics.co.za

Website: www.hjmelectronics.co.za

1st March 2023 PRICE LIST, (Rev1a)

Please indicate stock code when ordering.

ALL PRICES ARE EXCLUSIVE OF VAT.

CODE	MODEL	DESCRIPTION	LIST PRICE
1) pH CONTROL SYSTEMS			
PH326	Model 51 pH	pH CONTROLLER, 2xDOSING, 2xALARM OUTPUTS, 4-20mA	12000.00
PH361	Model 61 pH	pH CONTROLLER, 1x Prop.Pulse, On/Off output, 4-20mA	9600.00
PH361NB	Model 61 pH	pH CONTROLLER, NO BOX	8500.00
<u>PRICES EXCLUDES pH PROBE!</u>			
2) ORP/mV CONTROL SYSTEMS			
MV326	Model 51 mV	+/- 1000mV CONTROLLER, 2xDOSING, 2xALARM OUTPUTS, 4-20mA	12000.00
mV361	Model 61 mV	+/- 1000mV CONTROLLER, 1x Prop.Pulse or On/Off output, 4-20mA	9600.00
mV361	Model 61 mV	+/- 2000mV CONTROLLER, 1x Prop.Pulse or On/Off output, 4-20mA	9600.00
mV361NB	Model 61 mV	+/- 1000mV CONTROLLER, NO BOX	8500.00
<u>PRICES EXCLUDES ORP/mV PROBE!</u>			
3) MODEL 11EC CONDUCTIVITY CONTROL SYSTEMS			
C778	Model 11EC	CONDUCTIVITY CONTROLLER, 0-20 mS/cm (use <u>CSP-C</u>)	7000.00
C779	Model 11EC	CONDUCTIVITY CONTROLLER, 0-10 mS/cm (use <u>CSP-C</u>)	7000.00
C704	Model 11EC	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm (use <u>CSP-C</u>)	7000.00
C784	Model 11EC	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm (use <u>CSP-C</u>)	7000.00
C782	Model 11EC	CONDUCTIVITY CONTROLLER, 0-1000 µS/cm (use <u>CSP-C</u>)	7000.00
C783	Model 11EC	CONDUCTIVITY CONTROLLER, 0-500 µS/cm (use <u>CSP-C</u>)	7000.00
C714	Model 11EC	CONDUCTIVITY CONTROLLER, 0-250 µS/cm (use <u>CSP-C</u> or <u>CSP-Ti-01</u>)	7000.00
C785	Model 11EC	CONDUCTIVITY CONTROLLER, 0-100 µS/cm (use <u>CSP-Ti-01</u>)	7000.00
C786	Model 11EC	CONDUCTIVITY CONTROLLER, 0-50 µS/cm (use <u>CSP-Ti-01</u>)	7000.00
C787	Model 11EC	CONDUCTIVITY CONTROLLER, 0-25 µS/cm (use <u>CSP-Ti-01</u>)	7000.00
C789	Model 11EC	CONDUCTIVITY CONTROLLER, 0-10 µS/cm (use <u>CSP-Ti-01</u>)	7000.00
C790	Model 11EC	CONDUCTIVITY CONTROLLER, <u>Non-Standard Range</u>	7000.00
C706	Model 11EC-L	CONDUCTIVITY CONTR. 0-1000 µS/cm, LOW (use <u>CSP-C</u> or <u>CSP-Ti</u>)	7000.00
C708	Model 11EC-L	CONDUCTIVITY CONTR. 0-500 µS/cm, LOW (use <u>CSP-C</u> or <u>CSP-Ti</u>)	7000.00
C798	Model 11EC	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm, NO BOX (use <u>CSP-C</u>)	6000.00
C781	Model 11EC	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm, NO BOX (use <u>CSP-C</u>)	6000.00
<u>ALL CONTROLLER PRICES EXCLUDE PROBE!</u>			
4) Model22 BOILER CONDUCTIVITY CONTROL SYSTEM			
C312	Model22	BOILER BLOW-DOWN CONTROLLER, 0-5000 µS/cm (Standard range)	11000.00
<u>PRICE FOR MODEL22 ONLY!</u>			
C318	CE-4M	"TARGET" CE-4M BOILER PROBE FOR CS2/Model22	1900.00
C05	5mm	Orifice Plate 5mm, 1/2" union	560.00
G611	FIG12	1/2" Fitting for CE-4M Probe *	1100.00
SOL1	SOLS015	15mm Steam Solenoid Valve 220Vac N/C *	3100.00

*NOTE = imported items, price depends on cost



HJM Electronics

Instrumentation for the Water-Treatment Industry

Tel: +27+ (0)11 452-2066 E-mail: info@hjmelectronics.co.za

Website: www.hjmelectronics.co.za

1st March 2023 PRICE LIST, (Rev1a)

Please indicate stock code when ordering.

ALL PRICES ARE EXCLUSIVE OF VAT.

	MODEL	DESCRIPTION	LIST PRICE
<u>5) MODEL 31EC CONDUCTIVITY CONTROL SYSTEMS</u>			
C668	Model31	CONDUCTIVITY CONTROLLER, 0-10 mS/cm (use <u>CSP-C</u>)	9600.00
C662	Model31	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm (use <u>CSP-C</u>)	9600.00
C613	Model31	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm (use <u>CSP-C</u>)	9600.00
C653	Model31	CONDUCTIVITY CONTROLLER, 0-1000 µS/cm (use <u>CSP-C</u>)	9600.00
C654	Model31	CONDUCTIVITY CONTROLLER, 0-500 µS/cm (use <u>CSP-C</u>)	9600.00
C655	Model31	CONDUCTIVITY CONTROLLER, 0-250 µS/cm (use <u>CSP-C</u> or <u>CSP-Ti-01</u>)	9600.00
C656	Model31	CONDUCTIVITY CONTROLLER, 0-100 µS/cm (use <u>CSP-Ti-01</u>)	9600.00
C657	Model31	CONDUCTIVITY CONTROLLER, 0-50 µS/cm (use <u>CSP-Ti-01</u>)	9600.00
C658	Model31	CONDUCTIVITY CONTROLLER, 0-25 µS/cm (use <u>CSP-Ti-01</u>)	9600.00
C659	Model31	CONDUCTIVITY CONTROLLER, 0-10 µS/cm (use <u>CSP-Ti-01</u>)	9600.00
C666	Model31	CONDUCTIVITY CONTROLLER, 0-5 µS/cm (use <u>CSP-Ti-01</u>)	9600.00
C661NB	Model31	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm, NO BOX (use <u>CSP-C</u>)	8500.00
C613NB	Model31	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm, NO BOX (use <u>CSP-C</u>)	8500.00
C610NB	Model31	CONDUCTIVITY CONTROLLER, 0-1000 µS/cm, NO BOX (use <u>CSP-C</u>)	8500.00
C660	Model31	CONDUCTIVITY CONTROLLER, Non Standard Range	11000.00
<u>ALL CONTROLLER PRICES EXCLUDE PROBE!</u>			
<u>6) CONDUCTIVITY PROBES + CABLES</u>			
C400	CSP-C	STANDARD CARBON Conductivity Probe, 3/4" BSP with <u>7m</u> detachable cable, 0-80 Degrees Celsius	1100.00
C405	CSP-C-H	High Temperature Carbon Probe, 3/4" BSP with <u>7m</u> detachable cable, 0-90 Degrees Celsius	1200.00
C401	CSP-Ti-01	TITANIUM Probe, 3/4"BSP, Cell Constant 0.1 with <u>5m</u> detachable cable, 0-70 Degrees Celsius	1500.00
C406	CSP-Ti-001	TITANIUM Probe, 3/4"BSP, Cell Constant 0.01 with <u>5m</u> detachable cable, 0-70 Degrees Celsius	1800.00
C318	CE-4M	"TARGET" CE-4M BOILER PROBE FOR CS2/Model22	1900.00
<u>7) SPARE CONDUCTIVITY PROBE CABLES</u>			
C423	SC5	SPARE 5m CABLE+PLUG	200.00
C424	SC7	SPARE 7m CABLE+PLUG (Standard length)	220.00
C425	SC10	SPARE 10m CABLE+PLUG	240.00
C427	SC15	SPARE 15m CABLE+PLUG	340.00
C426	SC17	SPARE 17m CABLE+PLUG	360.00
C428	SC30	SPARE 30m CABLE+PLUG	540.00
C250	ECM	EXTRA CABLE PER METER, NON STANDARD	28.00



HJM Electronics

Instrumentation for the Water-Treatment Industry

Tel: +27+ (0)11 452-2066 E-mail: info@hjmelectronics.co.za

Website: www.hjmelectronics.co.za

1st March 2023 PRICE LIST, (Rev1a)

Please indicate stock code when ordering.

ALL PRICES ARE **EXCLUSIVE** OF VAT.

	MODEL	DESCRIPTION	LIST PRICE
8) C9 PORTABLE CONDUCTIVITY/TDS METER (Note2*)			
Auto-ranging Microprocessor-controlled Conductivity Tester.			
G505	C9	PORTABLE uS/TDS METER, 2-10'000 µS/cm (2-7000 TDS) Note2*	2200.00
BAT9V	6F22	ENERGIZER 9V BATTERY Note1*	80.00
9) OTHER PRODUCTS AND SERVICES			
T001	TP-01	10K NTC Temperature Sensor 3/4", 0-100 °C, 7m Cable	1200.00
G614	REPAIR C9	MINIMUM CHARGE PER ITEM, (C6,C7,C8 & C9 TDS Meter)	200.00
G619	REPAIRS	MINIMUM CHARGE PER ITEM, (ALL OTHER INSTRUMENTS)	800.00
G620	QUOTE	WRITTEN QUOTATION to repair instruments (PER ITEM) (Will be refunded if order is placed)	600.00
DISCONTINUED PRODUCTS.			
10) CT6 CONDUCTIVITY TESTER (Note2*)			
The CT6 is a Microprocessor-controlled Conductivity Tester.			
C463	CT6	CONDUCTIVITY TESTER + 10mm PROBE, 1-50 uS (Standard)	1500.00
C464	CT6	CONDUCTIVITY TESTER + 10mm PROBE, 2-199 uS	1500.00
C466	CT6-S	CONDUCTIVITY TESTER + 10mm PROBE, 1-50uS, (No Label/Box)	1300.00
C465	CT6-P	CT6 CONDUCTIVITY PROBE, 10mm	740.00
C435	JUS	CT6-JUSB05D/1, AC/DC ADAPTOR 12V/500mA	280.00
MG158-1	WG158-1	Water Guard Moisture Control Sachet, fitted	80.00
MG158-2	WG158-2	Water Guard Moisture Control Sachet, Packet of 2	140.00
T001	TP-01	10K NTC Temperature Sensor 3/4", 0-100 °C,7m Cable	1100.00
pH7	pH7.00	pH 7.00 Buffer Solution, 500mL Note 1 & 2*	160.00
pH4	pH4.00	pH 4.00 Buffer Solution, 500mL Note 1 & 2*	160.00
C1413	1413µS	1413µS/cm Cuductivity Standard Solution, 500mL Note 1 & 2*	220.00
BF01	Descale	Biofusion Descale for C8, 100ml spray-bottle Note 1 & 2*	60.00
Note 1*= Road freight only!			
Note 2*= Existing stock only, will be discontinued!			
PAGE 3			